

EAST Search History

Ref #	Hits	Search Query.	DBs	Default Operator	Plurals	Time Stamp
L1	2100	726/12-15.ccls. or 713/151-154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:11
L2	34417	709/217-238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:12
L3	125	fluhrrer.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:13
L4	36067	1 or 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:13
L5	2098	firewall\$1 and tunnel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:14
L6	758	4 and (firewall\$1 and tunnel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:14
L7	14	6 and ((establish\$3 with tunnel) same (common))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 17:15
S1	1829	IPSec	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/23 13:16

EAST Search History

S2	687	IPSec and tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 14:19
S3	449	IPSec same tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 14:20
S4	23	S3.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 14:20
S5	119	S3 and (network adj traffic)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 14:20
S6	2	S5 and (packet near3 summary)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 14:22
S7	44	S5 and @ad<="20011101"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 14:24
S8	0	S7 and (common with prox\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 14:24
S9	0	S7 and (common same prox\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 14:25
S10	15	S7 and (prox\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 17:04
S11	26	S3 and (access adj control adj list)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/16 18:09

EAST Search History

S12	65	(establish\$3 with IPSEC with tunnel with establish\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 13:11
S13	132	(establish\$3 with tunnel) same (common)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 13:12
S14	30	(establish\$3 with tunnel) with (common or intersection)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 13:13
S15	0	(establish\$3 with (secur\$3 adj tunnel)) with (common or intersection)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 13:15
S16	34317	"713".CLAS. or "380".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 13:15
S17	8	S13 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 13:15
S18	115310	"713".CLAS. or "380".CLAS. or "370".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 13:16
S19	3	S18 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 15:18
S20	0	tunnel adj endpoint adj detection adj protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 15:18
S21	0	tunnel adj endpoint adj detection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 15:20

EAST Search History

S22	2	tunnel adj endpoint adj discovery	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 15:21
S23	132	(establish\$3 with tunnel) same (common)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/11/30 17:14
S24	13	S23 and ((identif\$3 or determin\$3) with protocol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 16:37
S25	0	S23 and (identif\$3 with "same" with protocol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 16:38
S26	1	S23 and (identif\$3 with port\$1 with protocol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/17 16:38
S27	1	"20030097591".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 12:08
S28	1	"20020064277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:04
S29	95	(communication adj device) same (memory) same (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:13
S30	21	(communication adj device) with (memory) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:10
S31	3182	komiyama.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:10

EAST Search History

S32	27	komiyama.in. and takehiko.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:11
S33	1	S29 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:12
S34	599	(communication adj device) same (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:13
S35	214	(communication adj device) with (color\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:14
S36	58	S35 and @ad <="19991227"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/18 15:14
S37	24	(type near packet\$1) with proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/01 14:43
S38	6	S37 and tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/12/01 14:24
S39	7	S37 and (security adj polic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:31
S40	0	S39 and ((common or intersect\$3) with rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:32

EAST Search History

S41	0	S37 and ((common or intersect\$3) with rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:32
S42	1	S37 and ((common or intersect\$3) with (polic\$3 or rule\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:37
S43	928	markham.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:44
S44	1	S43 and cisco	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:35
S45	0	S43 and cisco.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:35
S46	4	(common with polic\$3) and tunnel.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 14:37
S47	1	(packet adj type\$1) same (traffic adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 15:05
S48	60	(packet adj type\$1) and (traffic adj profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 15:07

EAST Search History

S49	15	(packet adj type\$1) and (traffic adj profile\$1) and tunnel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 15:05
S50	1570	726/12-15.ccls. or 713/151-154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 11:36
S51	27911	709/217-238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 11:36
S52	29145	S50 or S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 11:37
S53	5005	S52 and (prox\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 11:37
S54	534	S53 and tunnel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 11:37
S55	126	(security adj (polic\$3 or profile\$1)) same (network near2 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 13:17
S56	58	(security adj (polic\$3 or profile\$1)) with (network near2 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 13:19

EAST Search History

S57	6	S56 and tunnel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:00
S58	1786	firewall\$1 and tunnel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:00
S59	11005	(transmit\$3 or send\$3 or distribut\$3 or forward\$3) with (network near2 address\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:03
S60	250	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:03
S61	157	(transmit\$3 or send\$3 or distribut\$3 or forward\$3) with (network near2 address\$2) with (security or protected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:06
S62	23	S58 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:04
S63	32	(transmit\$3 or send\$3 or distribut\$3 or forward\$3) with (network near2 addresses) with (security or protected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:06
S64	5	S58 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:07

EAST Search History

S65	0	(common near2 subset) with (network adj addresses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:26
S66	196	(common) with (network adj addresses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:26
S67	6	S58 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:34
S68	24	(ACL or (access adj control adj list\$1)) same (addresses) same (common)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:38
S69	1	(firewall near2 (ACL or (access adj control adj list\$1))) same subset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:46
S70	3	(firewall near2 (ACL or (access adj control adj list\$1))) with optimization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:47
S71	56	(firewall near2 (ACL or (access adj control adj list\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:55
S72	21	S71 and subset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:55

EAST Search History

S73	0	S71 and (common adj subset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:55
S74	10	(firewall and (common adj subset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/23 15:56